

Tiara
Y A C H T S

3 8 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JULY 29, 2007

3800 OPEN SPECIFICATIONS

L.O.A. without Standard Pulpit ...
38'4" - 11.69 meters

L.O.A. with Standard Pulpit ...
40'9" - 12.42 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 43'3" - 13.18 meters

Beam ... 14'2" - 4.32 meters

Draft (with Props) ... 3'6" - 1.06 meters

Approximate Dry Weight ...
22,600 lbs. - 10,251 kg

Height from Waterline to Top of
Windshield...9'5" - 2.87 meters

Height from Waterline to Top of
Optional Hardtop...10'5" - 3.17 meters

Standard Fuel Capacity ...
411 U.S. gallons - 1,556 liters

Sleeping Accommodations ...
Plan A - 5 / Plan B - 6

Water Capacity ...
110 U.S. gallons - 416 liters

Holding Tank Capacity ...
40 U.S. gallons - 151 liters


Cockpit Size ...
Upper: 75 sq. ft. - 6.98 sq. meters
Lower: 72 sq. ft. - 6.70 sq. meters

Deadrise at Transom ... 18°

STANDARD EQUIPMENT

HULL, DECK AND UPPER COCKPIT

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended, premium resin
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Bronze seacocks on all underwater thru-hull fittings
- Black gelcoat bootline with gold accent
- Molded-in hullside ventilation
- Bennett Marine® 12V hydraulic recessed trim tabs
- Six S.S. oval custom opening port lights with screens (N/A Plan B)
- Tiara custom diamond pattern non-skid deck and cockpit surfaces



- Molded-in fiberglass bow pulpit with S.S. roller system
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm
- Flush forward anchor rode locker with overboard drain
- One (1) 10" S.S. foredeck cleat
- One-piece welded, 316L S.S. bow rail with pulpit, Tiara burgee and staff
- Two (2) 10" 316L S.S. spring cleats
- Four (4) 12" 316L S.S. mooring cleats
- Two (2) 6" S.S. cockpit fender cleats
- Black rubrail with 316L S.S. cap
- Custom curved composite windshield with 1/4" tempered safety glass and center vent with actuator, includes PVC windshield cap and hand-grabs on side wings
- Three flush cast aluminum and acrylic forward deck hatches with adjusters and built-in Ocean Air® screens and privacy covers
- Tiara hinged helm console with full flush mount electronics capability and drink holder
- 12V outlet at helm
- Acrylic sliding companionway door with lock, built-in screen, and privacy cover
- Fiberglass companion door shroud with molded-in navigation chart area and drink holders
- Drop-down engine room access hatch from the upper cockpit
- Oversized power helm seat with wet bar, refrigerator, and aft facing seat
- Upper cockpit cool air helm blower
- Curved companion seat with cooler, storage, and aft facing seat
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and 4 cockpit speakers. Includes Clarion® iPod® interface.
- Helm/console and seat covers

LOWER COCKPIT

- Fiberglass covering boards
- Cockpit coaming bolsters
- Two (2) chrome bronze corner hawse pipes
- Molded-in transom door and gate
- Molded-in cockpit steps, port and starboard
- Cockpit LED courtesy lights with remote
- Self-draining cockpit with scupper drains
- Cockpit drink holders
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with 25 ft. coiled blue hose
- Raw water washdown outlet with 25 ft. coiled yellow hose
- Aluminum backing plate, 21" x 21", laminated in cockpit floor
- Two (2) flush floor storage boxes
- 120V GFI outlet

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- 12V lighting
- 120V outlets throughout
- Bose® 3-2-1 media system, includes DVD/CD player and game port

SALON

- Starboard U-shaped dinette with seating for 5-6, table with high gloss finish, and storage compartments below. Converts to single upper/lower berth and/or double lower berth.
- Fiberglass companionway steps with teak hardwood tread and storage compartment below
- Hanging locker

- Marine Air Systems® 12,000 BTU air conditioner with reverse cycle heat
- Majestic® 15" flat screen LCD TV


GALLEY

- Corian® countertop
- Stainless steel undermount sinks
- Recessed two-burner electric cooktop
- Exhaust fan
- Microwave oven
- AC/DC refrigerator/freezer, wired DC
- Upper dish lockers
- Three utensil drawers
- Under counter storage with Lazy Susan

MASTER STATEROOM

- Double pedestal berth with inner spring mattress, quilt, 2 pillow shams, and 6 throw pillows. Storage compartments under berth with manual actuator.
- Hanging locker
- Hullside shelves and upper hullside storage cabinets, port and starboard

PLAN A — STANDARD



- Majestic® 15" flat screen LCD TV
- 12V DVD player
- Marine Air Systems® 7,000 BTU air conditioner with reverse cycle heat

HEAD

- Corian® countertop with sink
- Mirrored vanity above sink
- Storage locker
- Entrance from salon and master stateroom
- Full frame wood doors
- Vacuflush® toilet with holding tank
- Full fiberglass head and shower stall with sliding shower door and shower sump pump
- Exhaust fan

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system with master distribution panel under cabin steps
- One (1) 240V 50 amp 65' shore power cord with adapter for 30 amp service
- Glendinning® cable recoiler
- Cable TV/phone inlet and cabin outlets with 65' dockside power cord
- TV and AM/FM antennas
- Charles® battery charger (1), 40 amp
- 12V two bank battery system with batteries and battery switches (3 engine batteries and 3 house batteries)
- Battery parallel system
- Reverse polarity indicator
- Onan® generator, 9.0kw w/ sound shield
- Electrical bonding system
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system with 22" S.S. destroyer wheel
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 2"
- Water cooled shaft logs with PSS® dripless shaft seal
- Two Nibral® propellers
- Zincs, transom and shafts

- Engine instrumentation: VDO® fuel gauges, voltage gauges, rudder angle indicator, and Smartcraft™ VesselView™ engine monitoring system.
- Ritchie® 5" SS-2000 Navigator compass
- Three (3) windshield wipers with washers
- Fresh water cooling, main engines
- Engine room insulation
- Oil changing system for main engines, generator, and transmissions
- Racor® fuel filters/water separators (2)
- Raw water intake strainers (2)
- 12V engine room lights
- Electric engine hatch actuators
- Twin Vernay® mufflers
- Two (2) bilge blowers, 250 CFM each
- Three (3) automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: 1 forward, 1 mid, and 1 aft
- Anti-corrosion barrier coated fuel tanks with electric gauges
- Dockside water inlet
- Fresh water tank, 110 gallons
- Water heater with exchanger, 11 gallons
- Fresh water tank/holding tank monitor
- Air horn
- FE-241 agent fire extinguisher system in engine room (HFC-227 agent for CE)
- Two (2) hand-held fire extinguishers
- Carbon monoxide detectors (2)
- Smoke detectors (2)
- Six (6) 5/8" x 30' black dock lines
- Coast Guard Safety and Medical Kit
- Tiara Life Vests (6)
- NMMA Yacht Certification
- U.S.C.G. and International lighting
- U.S.C.G. and B.I.A. ventilation
- CE (European) Certification available for European Union countries

OPTIONAL FLOOR PLAN B

Please see your Dealer for details

3 8 0 0 O P E N

ENGINE GROUP

- ▷ Twin Cummins® QSC8.3 Diesels, 490 H.P. (w/ Smartcraft™ VesselView™)

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Sun Fabric - Optional

- ▷ Sand Castle ▷ Indigo Bay
- ▷ Aqua Coast

Corian®

- ▷ Fossil ▷ Prairie
- ▷ Gray Fieldstone

Ultraleather™ / Suede

(Note: These combinations will be used unless otherwise specified)

- ▷ Chamois/Khaki ▷ Straw/Sorbet
- ▷ Almond/Sand

EXTERIOR COLOR SELECTIONS

- ▷ Helm Console & Dash Color N/C
 - ▷ Charcoal Gray
 - ▷ Flag Blue
 - ▷ Black
 - ▷ Beige

- ▷ Helm Console, Dash & Interior of Windshield Frame Color N/C
 - ▷ Charcoal Gray
 - ▷ Flag Blue
 - ▷ Black
 - ▷ Beige

- ▷ Custom Color Bootline with Gold Accent (Please Specify Color Below - Black with Gold Accent is Standard) 1,690
 - ▷ _____

- ▷ Hull Color (Please Specify Color Below - Fresh White is Standard) 9,140
 - ▷ _____

- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar 2,880
 - ▷ Black
 - ▷ Navy Blue

OPTIONAL EQUIPMENT

HULL, DECK, & COCKPIT GROUP

- ▷ Cockpit Carpet (Charcoal)
 - ▷ Upper cockpit only 495
 - ▷ Upper & lower cockpit 960
- ▷ 30" Swim Platform w/Built-in Ladder 4,480
- ▷ Bow Thruster 7,180

- ▷ Underwater Lights (2), Xenon 12V 35W 3,480
- ▷ Forward Deck Sun Pad with Handrail 1,320
- ▷ Upper Cockpit Cool Helm A/C, 18,000 BTU's 5,800
- ▷ Ice Maker for Helm Seat Locker (in lieu of Std Refrigerator) 1,120
- ▷ Upper Cockpit Table for Curved Companion Lounge 860
- ▷ Clarion® 6 Disc Changer (for Standard Clarion® Cockpit Stereo) 720
- ▷ Aft Fold-Down Transom Lounge .. 2,420

MECHANICAL GROUP

- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC 3,700
- ▷ Automatic All Chain Anchor Windlass System (in lieu of Standard Rope Windlass) 2,280
- ▷ ACR® RCL100 Remote Spotlight 2,280
 - ▷ Bow ▷ Hardtop
- ▷ Glendinning® Electronic Controls . 15,800
- ▷ Trolling Valves w/ Std. Mechanical Controls 10,600
- ▷ Trolling Valves w/ Electronic Controls (Must Order Electronic Control Option) 6,900
- ▷ Fresh Water Washdown - Anchor Locker 470
- ▷ Raw Water Washdown - Anchor Locker 470
- ▷ Waste Macerator w/Y-Valve 1,380
- ▷ Raymarine® Electronics Package . 29,800

- 2 - E120 12.1" Multi Function Color Displays
- RS125 Raystar GPS Antenna
- Ray 240 VHF Radio
- DSM300 Digital Sounder Module
- Speed, Depth, Temperature Transducer
- ST60 Graphic Display
- ST8001 S2G Smart Pilot Autopilot
- 4kw Open Array

INTERIOR GROUP

- ▷ Premium Sun Interior Fabric 1,450
- ▷ Plan B Floor Plan 2,500
- ▷ Central Vacuum System 750
- ▷ Solid Teak and Holly Cabin Sole 1,320
- ▷ Rod Storage under Cabin Sole (Plan A) 480

TOURNAMENT SERIES OPTIONS



- ▷ TTS Hardtop w/ Rod Holders, Spreader Lights, 2 Composite Hatches, and Front & Side Enclosures 24,600
- ▷ Rupp® 28 Ft. Outriggers, Tournament Hardtop 8,260
- ▷ Rod Holders in Gunnels, Lee® (4) 560
- ▷ Rupp® Rocket Rod Holders (4), Outboard, Tournament Hardtop (2 Port/2 Starboard) 640
- ▷ Rod Holders (4) in Deck Wings, Cruise Hardtop/No Hardtop 860
- ▷ Aluminum Bow Rail (in lieu of Standard Stainless Steel Bow Rail) 800
- ▷ Bait Prep & Tackle Center with Freezer (Port Side in lieu of Aft Facing Seat 8,200
- ▷ Transom Baitwell, 42 Gallons (Cannot be Ordered with Optional Aft Lounge) 4,600
- ▷ Port Cockpit Lockable Rod Storage .. 930
- ▷ Stbd Cockpit Lockable Rod Storage .. 930
- ▷ Macerator for Standard Flush Floor Cockpit Storage Boxes 660
- ▷ Circulating System & Macerator for Standard Flush Floor Storage Boxes 1,880
- ▷ Rod Storage for 4 Rods Under Pedestal Berth 240

WEATHER GROUP

- ▷ Stamoid® Canvas Color
 - ▷ White ▷ Sand
- ▷ Cruise Hardtop w/Arch, Front and Side Enclosures and 2 Hatches with Built-In Ocean Air® Privacy Covers and Screens 26,980
- ▷ Aft Curtain 1,820
- ▷ 3 Piece Drop Curtain 1,820

MISCELLANEOUS OPTIONS

- ▷ Cradle 3,400
- ▷ Spare Props 6,400
- ▷ Spare Shaft 3,700
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET
HOLLAND, MI 49423-5392
USA
616-392-7163
FAX 616-394-7466
www . tiarayachts . com