

Tiara
YACHTS

3900 CONVERTIBLE



STANDARDS / OPTIONS

EFFECTIVE JULY 29, 2007

3 9 0 0 CONVERTIBLE

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
39'0" - 11.9 meters

L.O.A. with Standard Pulpit ...
41'7" - 12.7 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 44'1" - 13.43 meters

Beam ... 14'5" - 4.44 meters

Draft (with Props) ... 3'6" - 1.06 meters

Approximate Dry Weight ...
30,125 lbs. - 13,664 kg

Height from Waterline to Top of
Standard Hardtop... 16'6" - 5.03 meters

Standard Fuel Capacity ...
475 U.S. gallons - 1,798 liters

Sleeping Accommodations ... 6

Water Capacity ...
110 U.S. gallons - 416 liters

Holding Tank Capacity ...
38 U.S. gallons - 144 liters

Cockpit Size ... 80 sq. ft. - 7.4 sq. meters

Deadrise at Transom ... 14°

STANDARD EQUIPMENT

HULL AND DECK

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended premium resin
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside engine room ventilation
- Black gelcoat boot line with gold accent
- QL Marine® trim tabs
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Molded-in fiberglass bow pulpit with S.S. roller system
- Flush forward anchor rode locker with overboard drain
- One (1) 10" S.S. foredeck cleat



- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm
- One-piece welded 1 1/4" brushed aluminum bow rail with pulpit, Tiara burgee and staff
- Two (2) 10" 316L S.S. spring cleats
- Four (4) 12" cleats 316L S.S. for bow and stern lines
- Two (2) 6" cockpit fender cleats
- White rubrail with 316L S.S. cap
- One (1) 21" x 21" flush cast aluminum and acrylic forward deck hatch with adjusters and built-in Ocean Air® screen and privacy cover

LOWER COCKPIT

- Bait prep center with cutting board, fresh water sprayer, tackle storage, and cooler
- Storage under entry step into salon
- Ladder to flybridge -- choice of fish style or cruise style (see options)
- Fiberglass covering boards
- Cockpit coaming bolsters
- Molded-in cockpit steps, port and starboard
- Engine room access door from lower cockpit
- Starboard entry to salon w/ door opening aft
- Starboard tackle storage drawers with glove box
- Two (2) chrome bronze corner hawse pipes
- Molded-in transom door and gate
- Transom storage keeper
- Two (2) flush floor storage tanks, one small and one large w/ split lid
- Four (4) Lee® rod holders
- 120V outlet, starboard
- Self-draining cockpit with scupper drains
- Dockside water inlet
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with 25 ft. coiled blue hose
- Raw water washdown outlet with 25 ft. coiled yellow hose

FLYBRIDGE

- Tournament hardtop including integrated aft spreader lights, enclosures, 5 rod holder rocket launcher aft, wire raceways for electronics, red and white LED lighting, and anchor light
- TV antenna
- Helm console with full flush mount electronics capability, gauge panel (in jewel case), 15" horizontal aluminum steering wheel, and glove box
- 12V outlet on helm console
- Forward bench seat with handrail and cooler below
- Two (2) Release Marine teak helm chairs with footrests
- Cockpit LED courtesy lights w/ remote control
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and 4 speakers (2 on flybridge and 2 in lower cockpit). Remote panel is located next to salon entry door in lower cockpit. Includes Clarion® iPod® interface.
- 120V outlet
- Helm/console and seat covers

INTERIOR

- Mold and mildew resistant vinyl hull and headliner
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- 12V lighting
- 120V outlets throughout

SALON

- Starboard lounge w/ removable table and storage provided in master stateroom hanging locker
- Port lounge, converts to berth
- Majestic® 26" LCD TV (wired AC)
- Marine Air Systems® 18,000 BTU air conditioner with reverse cycle heat (supplies salon, galley, & guest stateroom)
- Bose® Lifestyle 18 media system, includes DVD/CD player and game port. Wiring run to helm as standard and wired to optional Raymarine® electronics display when ordered. Audio is wired to the cockpit speakers.

GALLEY

- Corian[®] countertop
- Stainless steel undermount sink with Corian[®] cover
- Recessed two-burner ceramic cooktop with Corian[®] cover and safety shut-off switch
- Storage for stove and sink covers
- Exhaust fan
- Stainless steel microwave/convection oven concealed by teak door
- Novakool[®] AC/DC (wired DC) refrigerator/freezer, 5.5 cu. ft. refrigerator storage and 2.0 cu. ft. freezer storage
- Pantry

MASTER STATEROOM

- Double pedestal berth with inner spring mattress, quilt, 2 pillow shams, and 8 throw pillows. Storage compartments under berth with manual actuator.
- Majestic[®] 15" flat screen LCD TV (wired DC) with storage cabinet below
- 12V DVD player

- Starboard hanging locker, cedar lined with a mirror on the inside of the door
- Hullside shelves and upper hullside storage cabinets, port and starboard
- Two (2) reading lights, independently switched
- Marine Air Systems[®] 7,000 BTU air conditioning with reverse cycle heat (supplies master stateroom and head)

GUEST STATEROOM

- Two (2) bunks, upper and lower, with foam mattresses, quilts, and 2 pillow shams
- Rod storage under lower berth with capacity for 6 rods
- Hanging locker, cedar-lined
- Majestic[®] 15" flat screen LCD TV (wired DC)
- 12V DVD player


HEAD

- Corian[®] countertop with integrated Corian[®] sink
- Vanity storage below sink
- Mirrored vanity above sink with storage
- Vacuflush[®] toilet with holding tank
- Full fiberglass head with curved acrylic shower door and shower sump pump
- Exhaust fan
- Air conditioner discharge

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system. Master AC consolidated with salon monitoring panel with main DC panel in engine room
- One (1) 240V 50A 65' shore power cord w/ Glendinning[®] cord recoiler and adapter for 30 amp service
- Cable TV/phone inlet and cabin outlets with 65' shore power cord
- TV and AM/FM antennas
- Battery charger (1), 100 amp
- 12V two bank battery system with batteries and battery switches (3 engine batteries and 4 house batteries)
- Battery parallel system
- Reverse polarity indicator
- ProMariner[®] galvanic isolator
- Onan[®] 11.5kw generator (9.5kw for 220V)
- High output alternators, 160 amp
- Electrical bonding system - hardware bonded to main DC return, external zincs on trim tabs and shafts, 2 recessed transom zincs

- Glendinning[®] top mount electronic controls
- Teleflex[®] hydraulic steering system with power assist and 15" aluminum steering wheel
- Bronze axe head rudders and struts
- Aquamet[®] S.S. prop shafts, 2 1/4"
- Water cooled shaft logs w/ PSS[®] dripless shaft seal
- Two (2) Nibral[®] propellers
- Helm instrument panel w/ Beede[®] instrumentation in jewel case: fuel level, engine & house battery volt meters, rudder position indicator
- Beede[®] indicator LED's for aft bilge pump, mid bilge pump, forward bilge pump, and generator
- Ritchie[®] 5" SS-2000 Navigator compass
- Fresh water cooling, main engines
- EAR Specialty[®] engine room insulation and noise barrier
- Two (2) Racor[®] fuel filters/water separators
- Two (2) raw water intake strainers
- Reverso[®] 5 port oil changing system for main engines, transmissions, and generator
- Seven (7) 12V engine room lights
- Two (2) horizontal lift mufflers
- Three (3) bilge blowers, 250 CFM each
- Three (3) automatic/manual bilge pumps with monitors at helm, 2000 GPH each: 1 forward, 1 mid, and 1 aft
- Composite fuel tank, 475 gallons, with electric gauge
- Fresh water tank w/ Flojet[®] variable speed dual pump, 110 gallons
- Water heater with exchanger, 11 gallons
- Holding tank w/ vent filter, 38 gallons
- Fresh water tank & holding tank monitor
- Dual air horn with compressor and tank
- FE-241 agent fire extinguisher system in engine room (HGC-227 agent for CE)
- Carbon monoxide detectors (3)
- Smoke detectors (3)
- Six (6) 5/8" x 30' black dock lines
- Coast Guard Safety and Medical Kit
- Tiara Life Vests (4)
- NMMA Yacht Certification
- U.S.C.G. and International lighting
- CE (European) Certification available for European Union countries



3 9 0 0 CONVERTIBLE

ENGINESELECTION

- ▷ Twin Cummins® QSC Diesels, 540 H.P. (Includes Glendinning® Top Mount Controls, SeaCruise® w/ Smartcraft™ Electronic Displays, and Engine Synchronizer)
- ▷ Twin Cummins® QSC Diesels, 600 H.P. (Includes Glendinning® Top Mount Controls, SeaCruise® w/ Smartcraft™ Electronic Displays, and Engine Synchronizer)
- ▷ Twin CAT® C9 Diesels, 575 H.P. (Includes Glendinning® Top Mount Controls, CAT® MPD Electronic Displays, and Engine Synchronizer)

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Sun Fabric - Optional

- ▷ Sand Castle ▷ Indigo Bay
- ▷ Aqua Coast

Corian®

- ▷ Fossil ▷ Prairie
- ▷ Gray Fieldstone

Ultraleather™ / Suede

(Note: These combinations will be used unless otherwise specified)

- ▷ Chamoisic/Khaki ▷ Straw/Sorbet
- ▷ Almond/Sand

EXTERIOR COLOR SELECTIONS

- ▷ Custom Color Bootline with Gold Accent (Please Specify Color Below - Black with Gold Accent is Standard) 1,690
- ▷ _____
- ▷ Hull Color (Please Specify Color Below - Fresh White is Standard) 9,720
- ▷ _____
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar 2,960
- ▷ Black
- ▷ Navy Blue

OPTIONAL EQUIPMENT

HULL, DECK, COCKPIT, & FLYBRIDGE OPTIONS

- ▷ Cockpit Carpet (Charcoal)
 - ▷ Lower cockpit only 620
- ▷ 30" Swim Platform w /Built-in Ladder 3,700

- ▷ Bow Thruster 7,180
- ▷ Underwater Lights (2), Xenon 12V 35W 3,480
- ▷ Fixed Keeper - Port Gunnel 210
- ▷ Fixed Keeper - Starboard Gunnel 210
- ▷ Lockable Storage Door - Port Gunnel 930
- ▷ Lockable Storage Door w/ Hangers for Power Cords - Starboard Gunnel 930
- ▷ Transom Fold-Down Lounge 2,420
- ▷ Cool Air System for Flybridge, 16,000 BTU's 5,800
- ▷ Clarion® 6 Disc Changer (for Standard Clarion Flybridge Stereo) 720
- ▷ Refrigerator Plates for Flybridge Cooler 1,440
- ▷ Fixed Center Salon Window w/ Interior Blind 2,260
- ▷ Barrett® 4 - Sided Enclosure for Flybridge (in lieu of Standard Enclosure) 13,980
- ▷ Flybridge Access Hatch 1,200
- ▷ Hardtop Hatches (2) 900

MECHANICAL OPTIONS

- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC 3,700
- ▷ Automatic All Chain Anchor Windlass System (in lieu of Standard Rope Windlass) 2,280
- ▷ ACR® RCL100 Remote Spotlight (Mounted on Hardtop) 2,280
- ▷ Glendinning® Side Mount Controls on Flybridge Console 3,580
- ▷ Trolling Valves (must have Glendinning® Top Mount or Side Mount Controls) 6,900
- ▷ Glendinning® Remote Tethered Cockpit Controls 4,680
- ▷ Raymarine® Electronics Package . 29,800
 - 2 - E120 12.1" Multi Function Color Displays
 - RS125 Raystar GPS Antenna
 - Ray 240 VHF Radio
 - DSM300 Digital Sounder Module
 - Speed, Depth, Temperature Transducer
 - ST60 Graphic Display
 - ST8001 S2G Smart Pilot Autopilot
 - 4kw Open Array
- ▷ 600W Transducer Only 780

- ▷ 1000W Transducer Only 1,980
- ▷ 1000W Transducer w/ Raymarine® Electronics Package 780
- ▷ Fresh Water Washdown for Anchor Locker 470
- ▷ Raw Water Washdown for Anchor Locker 470
- ▷ Macerator for Waste System 1,380

INTERIOR OPTIONS

- ▷ Premium Sun Interior Fabric 1,900
- ▷ Solid Teak and Holly Cabin Sole 1,320
- ▷ SubZero® Drawer Units in Galley (Refrigerator and Freezer) 3,880

FISHING FEATURES/OPTIONS

- ▷ Rupp® 30 ft. Double Spreader Outriggers 9,620
- ▷ Rod Holders (4) in Deck Wings 860
- ▷ Freezer for Bait Prep Center (in lieu of Cooler) 4,980
- ▷ Rod Holders, Lee® (4) Std
- ▷ Macerator for Standard Cockpit Flush Floor Storage Tanks 660
- ▷ Transom Baitwell, 48 Gallons (in lieu of Storage) 3,800
- ▷ Cruising Style Ladder to Flybridge (in lieu of Standard Ladder) 320
- ▷ Overhead Rod Storage in Salon 850
- ▷ Rod Storage for 4 Rods Under Pedestal Berth 240

MISCELLANEOUS OPTIONS

- ▷ Cradle 3,400
- ▷ Spare Props (pr) 8,700
- ▷ Spare Prop Shaft & Coupling 5,800
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET
HOLLAND, MI 49423-5392
USA
616-392-7163
FAX 616-394-7466
www.tiarayachts.com