

Tiara
YACHTS

4 2 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JULY 29, 2007

4200 OPEN

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
42'6" - 12.95 meters

L.O.A. with Standard Pulpit ...
44'10" - 13.66 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ...
47'4" - 14.43 meters

Beam ... 14'11" - 4.56 meters

Draft (with Props) ... 4'2" - 1.3 meters

Approximate Dry Weight ...
28,600 lbs. - 12,972.75 kg

Standard Fuel Capacity ...
520 U.S. gallons - 1,968 liters

Height from Waterline to Top of
Windshield ... 9'7" - 2.92 meters

Height from Waterline to Top of
Optional Hardtop ... 11'0" - 3.35 meters

Sleeping Accommodations ... 5

Water Capacity ...
130 U.S. gallons - 493 liters

Holding Tank Capacity ...
50 U.S. gallons - 189 liters


Cockpit Size ...
Upper: 69 sq. ft. - 6.4 sq. meters
Lower: 100 sq. ft. - 9.3 sq. meters

Deadrise at Transom ... 17.5°

STANDARD EQUIPMENT

HULL, DECK, & UPPER COCKPIT

- Fresh white gelcoat hull and deck
- Tiara Yachts' transferable 5-year limited warranty on hull and deck
- Constructed with a gelcoat outer layer, and hand-laid fiberglass with a special blended, premium resin
- Composite balsa cored stringers, encapsulated by fiberglass, are integrated to the hull
- Molded-in hullside ventilation
- Black gelcoat bootline with gold accent
- Bronze seacocks on all underwater thru-hull fittings
- Bennett Marine® 12V hydraulic recessed trim tabs
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Molded-in fiberglass bow pulpit with S.S. roller
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm



- One (1) 10" S.S. foredeck cleat
 - Flush forward fiberglass storage locker with overboard drain
 - Raw water washdown for anchor locker
 - Fresh water washdown for anchor locker
 - One-piece welded 316L S.S. bow rail with pulpit, staff, and Tiara burgee
 - Black rubrail with 316L S.S. cap
 - Four (4) 12" cleats for mooring lines
 - Four (4) 10" cleats for spring lines
 - Two (2) 6" cleats for fenders
 - Three (3) cast aluminum and acrylic forward deck hatches with adjusters and built-in OceanAir® screens and privacy covers
 - Tiara custom composite windshield frame with tempered safety glass, safety handrails, power opening center section, and 3 washer/wipers
 - Tiara hinged helm console with full flush mount electronics capability and drink holders
 - 12V outlet at helm
 - Portside navigation center including covered chart flat & drink holders
 - Acrylic sliding companionway door with sliding screen and privacy cover
 - Stidd® single helm seat, electrically actuated fore, aft, and vertically, with storage below
 - Upper cockpit wet bar with sink, cutting board, refrigerator, storage, 120V outlet, and insulated cooler aft
 - Port curved companion seat with insulated cooler, storage, drink holders, and handrail
 - Drop-down engine room access hatch from upper cockpit
 - Upper cockpit cool air helm blower
 - Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and 4 cockpit speakers. Includes Clarion® iPod® interface.
 - Helm console and seat covers for all cockpit furniture
- Cockpit coaming bolsters
 - Molded-in transom door and gate
 - Flush floor cockpit storage boxes (2)
 - Cockpit shower, hot and cold water
 - Fresh water washdown outlet with 25 ft. coiled blue hose
 - Raw water washdown outlet with 25 ft. coiled yellow hose
 - Cockpit LED courtesy lights with remote control
 - Safety handrails, lower cockpit to deck
 - 120V outlet
 - Aluminum backing plate, 24" x 24", laminated in cockpit floor

INTERIOR GROUP

- Mold and mildew resistant hull and headliner
- Teak interior – *NOTE: Variations in Teak wood grain are natural and cannot be controlled in the manufacturing process.*
- Teak hardwood floor
- 12V lighting
- 120V outlets throughout
- Central vacuum system (located in forward stateroom)

MAIN SALON

- Fiberglass companionway steps with storage below
- Companionway safety handrail
- Majestic® 20" flat screen LCD TV
- Bose® Lifestyle 18 AM/FM stereo with CD, integrated DVD, game port, and concealed speakers. Wiring run to helm as standard and wired to optional Raymarine® electronics display when ordered. Audio is wired to the cockpit speakers.
- Portside dining area with seating for 4-5 with storage below. Dinette table has a high gloss finish and dinette converts to single upper/lower berth and/or double lower berth.
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat
- Cedar lined hanging locker
- Drawer storage

LOWER COCKPIT

- Molded-in aft facing lounge with engine room entry
- Transom fold-down lounge
- Molded-in steps to deck walkways


MASTER STATEROOM

- Full frame door, salon to forward stateroom
- Private entry to head
- Queen pedestal berth with inner spring mattress and storage below. Includes quilt, 2 pillow shams, and 6 throw pillows.
- Hullside shelves and overhead storage cabinets
- Two (2) reading lights, independently switched
- Cedar lined hanging lockers, port and starboard
- Majestic® 15" flat screen LCD TV
- 12V DVD player
- Marine Air Systems® 6,000 BTU air conditioner with reverse cycle heat

HEAD

- Full frame doors, entry from master stateroom and salon
- Corian® vanity countertop and sink with storage below
- Upper medicine cabinet with lights and mirror
- Upper linen storage cabinet with pull-out basket

PLAN A – STANDARD



- Vacuflush® toilet
- Exhaust fan
- Full fiberglass head with separate, bi-fold glass shower door, and integrated seat

GALLEY

- Corian® countertop
- Stainless steel undermount sinks with Corian® covers and hot/cold faucet
- Upper and lower cabinet storage
- Storage under galley floor
- Recessed two (2) burner ceramic cooktop with Corian® cover
- Microwave/convection oven
- 120V Sub-Zero® side-by-side refrigerator and freezer with ice maker
- Storage for cooktop and sink covers
- Exhaust fan

INSTRUMENTATION, SAFETY, AND EQUIPMENT

- Tiara custom 12V DC and 120V/240V AC electrical system with master distribution panel under the companionway steps
- One (1) 240V 50 amp 65' shore power cord with adapter for 30 amp service
- Cable TV and phone inlets and outlets with 65' dockside power cord
- Glendinning® cable recoiler
- TV and AM/FM radio antennas
- Onan® 9kw diesel generator with indicator light at helm and sound shield
- Charles® battery charger (1), 50 amp
- 12V two bank battery system with battery switches (4 engine batteries and 4 house batteries)
- Battery parallel system
- Electrical bonding system
- Teleflex® mechanical engine controls
- Teleflex® hydraulic steering system with power assist and 22" S.S. destroyer wheel
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 2 1/2"
- Water cooled shaft logs with PSS® dripless shaft seal
- Two Nibral® propellers
- Zincs, transom and shafts
- Engine instrumentation: VDO® fuel gauge, voltage gauges, and rudder angle indicator gauge. CAT® C12 engines include the CAT® MPD engine displays and Cummins® M11 engines include the Smartcraft™ engine monitoring system.
- Ritchie® 5" SS-2000 Navigator compass
- Oil changing system, main engines, generator, and transmissions
- High output 160 amp alternators
- Engine room acoustical insulation with overhead fiberglass liner and 12V fluorescent lighting
- Racor® fuel filters/water separators for engines & generator mounted on S.S. brackets
- Raw water intake strainers
- Vibration mounts, engines and generator
- Two (2) bilge blowers, 250 CFM each
- Three (3) automatic/manual bilge pumps with monitors at helm, 2000 GPH each: 1 forward, 1 mid, and 1 aft
- Composite fuel tank, 520 gallons with in-line fuel vent filters
- 6-way fuel valve system
- Fresh water tank, 130 gallons
- Dockside water inlet
- Fresh water pressure system
- Water heater, 20 gallons
- Holding tank, 50 gallons, with deck discharge and holding tank vent filter
- Dual air horn
- FE-241 agent fire extinguisher system in engine room (HFC-227 agent for CE)
- Hand-held fire extinguishers - 3 for Plans A; 4 for Plan C
- Carbon monoxide detectors - 2 for Plans A; 3 for Plan C
- Smoke detectors - 2 for Plans A; 3 for Plan C
- Eight (8) 5/8" x 30' black dock lines
- Tiara life vests (6)
- U.S.C.G. and international navigation lighting
- NMMA Yacht Certification
- CE (European) Certification available for European Union countries

OPTIONAL FLOOR PLAN C

Please see your dealer for details

4 2 0 0 O P E N

ENGINEGROUP

- ▷ Twin Cummins® QSM11 Diesels, 670 H.P.
- ▷ Twin Cummins® QSM11 Diesels, 715 H.P.
- ▷ Twin CAT® Compact C-12 Diesels, 715 H.P.

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Sun Fabric - Optional

- ▷ Sand Castle ▷ Indigo Bay
- ▷ Aqua Coast

Corian®

- ▷ Fossil ▷ Prairie
- ▷ Gray Fieldstone

Ultraleather™ / Suede

(Note: These combinations will be used unless otherwise specified)

- ▷ Chamois/Khaki ▷ Straw/Sorbet
- ▷ Almond/Sand

EXTERIOR COLOR SELECTIONS

- ▷ Helm Console & Dash Color N/C
 - ▷ Charcoal Gray ▷ Flag Blue
 - ▷ Black ▷ Beige
- ▷ Helm Console, Dash & Interior of Windshield Frame Color N/C
 - ▷ Charcoal Gray ▷ Flag Blue
 - ▷ Black ▷ Beige
- ▷ Custom Color Bootline with Gold Accent (Please Specify Color Below - Black with Gold Accent is Standard) 1,690
 - ▷ _____
- ▷ Hull Color (Please Specify Color Below - Fresh White is Standard) 12,460
 - ▷ _____
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar 3,320
 - ▷ Black
 - ▷ Navy Blue

OPTIONAL EQUIPMENT

HULL, DECK, & COCKPIT GROUP

- ▷ Cockpit Carpet (Charcoal)
 - ▷ Upper Cockpit Only 500
 - ▷ Upper & Lower Cockpit 1,010
- ▷ 30" Swim Platform w/ Built-In Ladder 3,700
- ▷ 42" Swim Platform w/ Built-In Ladder 4,940
- ▷ Bow Thruster 7,460
- ▷ Underwater Lights (2), Xenon 12V 35W 3,480
- ▷ Ice Maker in Helm Wet Bar (in lieu of Std Refrigerator) 1,120

- ▷ Curved Companion Lounge with Swivel Seat Forward, Cooler, Storage, and Aft Facing Seat 2,820
- ▷ Upper Cockpit Table
 - ▷ Curved Companion Seat 860
 - ▷ Curved Companion Seat/Swivel 660
- ▷ Upper Cockpit A/C, 16K BTU .. 5,800
- ▷ Clarion® 6 Disc Changer (for Standard Clarion® Cockpit Stereo) 720
- ▷ Portlights (4) in Salon 1,900

MECHANICAL GROUP

- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC 4,250
- ▷ Automatic All Chain Anchor Windlass System (in lieu of Standard Rope Windlass System) 2,280
- ▷ ACR® RCL 100 Remote Spotlight 2,280
 - ▷ Bow ▷ Hardtop
- ▷ Forward Deck Shore Power 3,880
- ▷ Glendinning® Single Lever Electronic Controls - Cummins® 15,800
- ▷ Glendinning® Single Lever Electronic Controls - CAT® 15,800
- ▷ Trolling Valves - Cummins® w/ Std. Mechanical Controls 10,600
- ▷ Trolling Valves - Cummins® w/ Electronic Controls (Must Order Electronic Control Option) 6,900
- ▷ Trolling Valves - CAT® w/ Std. Mechanical Controls 12,100
- ▷ Trolling Valves - CAT® w/ Electronic Controls (Must Order Electronic Control Option) 8,300
- ▷ Waste Macerator w/ Y-Valve 1,380
- ▷ Raymarine® Electronics Package 29,800
 - 2 - E120 12.1" Multi Function Color Displays
 - RS125 Raystar GPS Antenna
 - Ray 240 VHF Radio
 - DSM300 Digital Sounder Module
 - Speed, Depth, Temperature Transducer
 - ST60 Graphic Display
 - ST8001 S2G Smart Pilot Autopilot
 - 4kw Open Array

INTERIOR GROUP

- ▷ Premium Sun Interior Fabric
 - ▷ Plan A 1,450
 - ▷ Plan C 1,900
- ▷ Plan C Floor Plan 10,500
- ▷ Solid Teak & Holly Cabin Sole ... 1,320
- ▷ Rod Storage in Pantry - Plan A 340
- ▷ Rod Storage Locker Guest Stateroom - Plan C 2,920
- ▷ Sub-Zero® Drawer Units in Galley - Plan C 3,880

TOURNAMENT SERIES OPTIONS



- ▷ TTS Hardtop w/ Rod Holders, Spreader Lights, 2 Composite Hatches, and Front & Side Enclosures 25,600
- ▷ Rupp® 30 Ft. Outriggers, Tournament Hardtop 9,220
- ▷ Rod Holders in Gunnel, Lee® (4) ..560
- ▷ Rupp® Rocket Rod Holders (4), Outboard on Tournament Hardtop 640
- ▷ Rod Holders (4) in Deck Wings, Cruise Hardtop/No Hardtop 510
- ▷ Aluminum Bow Rail (in lieu of Standard Stainless Steel Bow Rail) 520
- ▷ Transom Baitwell, 60 Gallons (in lieu of Standard Transom Fold-Down Lounge) 2,000
- ▷ Bait Prep & Tackle Center with Freezer (Port Side in lieu of Aft Facing Seat) 8,800
- ▷ Livewell with Circulating System in Helm Insulated Cooler 940
- ▷ Port Cockpit Lockable Rod Storage 1,030
- ▷ Starboard Cockpit Lockable Rod Storage 1,030
- ▷ Macerator for Std. Cockpit Floor Storage Boxes 660
- ▷ Circulating System w/ Macerator for Starboard Cockpit Floor Storage Box 1,260
- ▷ Rod Storage for 4 Rods Under Pedestal Berth 240

WEATHERGROUP

- ▷ Stamoid® Canvas Color
 - ▷ White ▷ Sand
- ▷ Cruise Hardtop w/Front and Side Enclosures and 2 Hatches w/ Built-In Ocean Air® Privacy Covers and Screens 25,600
- ▷ Antenna Mast for Hardtop 2,500
- ▷ Aft Curtain 1,820
- ▷ 3 Piece Drop Curtain 1,820

MISCELLANEOUS OPTIONS

- ▷ Spare Props (pr.) and Prop Holders 12,900
- ▷ Spare Prop Shaft 7,900
- ▷ Cradle 3,900
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET
HOLLAND, MI 49423-5392

USA
616-392-7163
FAX 616-394-7466

www.tiarayachts.com