

TIARA
YACHTS

3 0 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JANUARY 20, 2009

3000 OPEN

STANDARD EQUIPMENT



SPECIFICATIONS

L.O.A. without Standard Pulpit ...
30'6" - 9.29 meters

L.O.A. with Standard Pulpit ...
33'0" - 10.06 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 35'0" - 10.60 meters

Beam ... 12'6" - 3.81 meters

Draft (with Props) ... 2'8" - 0.8 meters

Approximate Dry Weight ...
13,225 lbs. - 5,999 kg

Height from Waterline to Top of
Standard Hardtop ... 8'11" - 2.7 meters

Standard Fuel Capacity ...
210 U.S. gallons - 794.94 liters

Water Capacity ...
33 U.S. gallons - 124.92 liters

Holding Tank Capacity ...
20 U.S. gallons - 75.71 liters

Sleeping Accommodations ... 4

Cockpit Size ...
Upper: 55 sq. ft. - 5.1 sq. meters
Lower: 64 sq. ft. - 5.9 sq. meters

Deadrise at Transom ... 14°

HULL, DECK AND UPPER COCKPIT

- Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2009 warranty statement for specific details and coverage areas.
- Fresh white gelcoat hull and deck
- Black gelcoat bootline with gold accent
- Hull constructed with a gelcoat outer layer, balsa cored hullsides, and hand-laid fiberglass using a special blended, premium resin
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using a premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings

- Molded-in hullside engine room ventilation
- QL Marine® trim tabs with indicator lights at helm
- Four (4) S.S. oval opening port lights with screens and privacy inserts
- One (1) Bomar® low profile extruded aluminum forward deck hatch with adjuster and built-in Ocean Air® screen and privacy cover
- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded 316L S.S. 1" bow rail with pulpit, staff, and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 8" S.S. foredeck cleat, 30' chain rode, 200' rope rode, and Delta® 14 lb. galvanized anchor
- Black rubrail with 316L S.S. cap
- Six (6) 10" S.S. cleats for lines
- Tiara custom composite windshield frame with tempered safety glass and Imtra® windshield wiper system (two (2) washer/wipers)
- Tiara custom composite hardtop with solid front enclosure and isinglass side enclosures. Includes safety handrails, port/starboard vent openings, two (2) aft facing spreader lights, and Imtra® red and white LED lighting on the underside of the hard top. Choice of cruising style arch/hardtop or aluminum fishing style arch/hardtop combination.
- Tiara hinged helm console with full flush mount electronics capability, one (1) drink holder, 12v outlet, and 16" S.S. destroyer steering wheel
- Helm back-to-back seat locker with forward seat and aft facing seat. Forward seat has manual actuator with six (6) inches of fore and aft adjustment. Storage under forward seat cushion and additional storage access through aft-facing seat back. Two (2) drink holders and handrail between forward and aft facing seats.
- Centerline entry to salon with acrylic sliding companionway door, lock, and privacy cover
- Portside navigation center including chart storage with white acrylic lid and three (3) drink holders

- Port companion seat - choice of:
1) Forward seat and aft workstation for entertaining and fishing. Workstation includes 20 gallon insulated storage, sprayer, cutting board and lid. Seven (7) cubic feet of storage under the workstation is accessible from a side door. Additional storage under forward facing seat cushion. Two (2) drink holders and handrail between forward seat and work station.
or
2) Curved companion lounge with storage below. Small work area aft with drink holders and safety handrail.

- 120V GFI outlet
- Drop-down engine room access hatch from the upper cockpit
- Weather covers for helm console and all cockpit furniture

LOWER COCKPIT

- Molded-in steps to deck walkways, port and starboard
- Fiberglass covering boards
- Cockpit coaming bolsters
- Two (2) corner oval chrome bronze hawse pipes
- Imtra® cockpit LED courtesy lighting
- Fresh water washdown outlet with S.S. fittings and 25 ft. coiled blue hose
- Raw water washdown outlet with S.S. fittings and 25 ft. coiled yellow hose
- Self-draining cockpit
- Two (2) flush floor storage boxes, longitudinal, one (1) port and one (1) starboard
- Molded-in transom door and gate

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak and holly veneer cabin sole
- Cable TV/phone outlet
- 120V outlets throughout
- 12V lighting

SALON

- 6'4" headroom
- Companionway steps with hardwood treads and courtesy lights
- S.S. companionway handrail (starboard)
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, two (2) interior speakers and four (4) cockpit speakers. Includes Clarion® iPod® interface.
- Lounge/dinette seating to starboard with storage below and high-gloss teak/birdseye maple table. Converts to berth and includes berth filler cushion.
- Cedar-backed port locker with hanging rod

GALLEY

- Formica® countertop with Corian® trim
- Stainless steel sink

- Lower cabinet shelf storage with drawer above
- One-burner electric cooktop, surface mount
- Microwave oven
- 2.3 cu ft/65 liter DC drawer refrigerator with bins and bottle storage

FORWARD BERTH


- Double side berth with foam mattress, quilt, and three (3) throw pillows
- Storage compartment under berth
- Two (2) reading lights, independently switched

HEAD

- Full fiberglass head with shower sump pump and shower curtain
- Vanity with Corian® countertop, stainless steel sink and storage below
- Mirror
- Vacuflush® toilet
- Exhaust blower and A/C vent

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara 12V and 120V distribution panels. The 120V panel is located under the companionway steps and the 12V panel is split between the companionway steps and the port hanging locker.
- One (1) 120V 30 amp 65 ft. dockside power cord; inlet located port
- Cable TV/phone inlet and cabin outlet
- AM/FM antenna
- Victron® battery charger (1), 50 amp
- Two bank 12V battery system with batteries and battery switches (two (2) engine batteries and two (2) house batteries)
- Reverse polarity indicators
- Amp meters, AC and DC
- Electrical bonding system
- Zincs - transom and shafts
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 1 1/2" gas and 1 3/4" diesel
- Water cooled shaft logs with PSS® dripless shaft seal
- Two (2) Nibral® propellers
- Engine instrumentation: Crusader® engine option includes tachometers w/ hour meters, voltage gauges, fuel gauge, temperature gauges, and engine oil pressure gauges. Cummins® engine option includes voltage gauges, fuel gauge, and Smartcraft™ engine monitoring display.
- Ritchie® Helmsman HF-743 compass
- High output alternators: 70 amps each for Crusader® engines, 105 amps each for Cummins® engines
- Engine room acoustical insulation
- Engine hatch actuator
- 12V engine room lights
- Two (2) Racor® fuel filters/water separators (diesel engines only)
- Two (2) raw water intake strainers
- Vibration mounts for engines
- Plate mounted, thru-bolted engine system
- Two (2) bilge blowers, 250 CFM each
- Three (3) bilge pumps with monitors at helm: One (1) 500 GPH automatic forward, one (1) 2000 GPH automatic/manual mid, and one (1) 2000 GPH automatic/manual aft
- One (1) composite fuel tank, 210 gallons, with electric gauge and fuel shut-off valve on top of tank
- Dockside water inlet
- One (1) fresh water tank, 33 gallons, with monitor located by companionway steps
- Fresh water pressure system
- One (1) holding tank, 20 gallons, with indicator light located in the head
- One (1) water heater with exchanger, six (6) gallons
- Air horn
- FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- One (1) carbon monoxide detector
- One (1) smoke detector
- Six (6) 5/8" x 25' black dock lines
- Four (4) Tiara life vests (domestic boats only)
- USCG safety and medical kit
- USCG/international navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)



3000 OPEN

OPTIONAL EQUIPMENT

ENGINE GROUP

- ▷ Twin Gas Crusader® 6.0L MPI 375 H.P. (with electronic synch/cruise)
- ▷ Twin Gas Crusader® 8.1L MPI 385 H.P. (with electronic synch/cruise)
- ▷ Twin Cummins® QSB Diesels, 330 H.P. (with Smartcraft™ engine monitoring display)

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport
- ▷ Tradewinds
- ▷ Twilight

Premium Fabric - Optional

- ▷ Premium Interior Fabric Selection.....1,290
 - ▷ Oyster Cove
 - ▷ Sea Mist
 - ▷ Steel Lagoon

Ultraleather™

- ▷ Cream
- ▷ French Vanilla
- ▷ Lasso

EXTERIOR COLOR SELECTIONS

- ▷ Helm Console & Dash Color.....N/C
 - ▷ Charcoal gray
 - ▷ Flag blue
 - ▷ Black
 - ▷ Beige
- ▷ Custom Color Bootline with Gold Accent (Please specify color below - black with gold accent is standard).....1,440
 - ▷ _____
- ▷ Hull Color (Please specify color below - Fresh White is standard).....6,980
 - ▷ _____
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar.....2,640
 - ▷ Black
 - ▷ Navy blue
- ▷ Cockpit Carpet
 - ▷ Upper cockpit only.....515
 - ▷ Upper & lower cockpit.....980
 - ▷ Charcoal
 - ▷ Navy
 - ▷ Black
 - ▷ Sand

HULL, DECK, & COCKPIT GROUP

- ▷ 30" Swim Platform with Built-In Ladder.....3,580

- ▷ Port Companion Seat Options
 - ▷ Forward seat with aft prep/work center.....N/C
 - ▷ Curved companion lounge with storage below.....N/C
 - ▷ Curved companion lounge with refrigerator below.....1,280
- ▷ Transom Options
 - ▷ 6" Center covering board.....480
 - ▷ Fold-down lounge.....2,980
 - ▷ Baitwell, 33 gallons.....3,880

MECHANICAL GROUP

- ▷ ACR® Remote Spotlight RCL 50 (mounted on bow).....1,740
- ▷ Generator
 - ▷ Wiring only.....230
 - ▷ Gas, Westerbeke®.....15,200
 - 5.0BCG, 120V/60Hz
 - 4.2BCG, 220V/50Hz
 - ▷ Diesel, Onan®.....15,680
 - 5kw MDKBH, 120V/60Hz
 - 4kw MDKBH, 220V/50Hz
- ▷ Oil Changing System.....1,640
- ▷ Cockpit Shower (hot & cold water).....780
- ▷ Anchor Locker Washdown with S.S. Fittings
 - ▷ Fresh water.....480
 - ▷ Raw water.....480
- ▷ Macerator for Waste System.....1,180
- ▷ Raymarine® Electronics Package
 - ▷ Option 1.....29,960
 - ▷ Option 2.....27,800
 - Option 1: (2) E80 8.4" multi-function color displays
 - Option 2: (1) E120 12.1" multi-function color display
 - Raystar 125 GPS sensor
 - Ray 240 VHF radio
 - DSM300 digital sounder module
 - 1kw B260 transducer
 - ST70 graphic display
 - ST6002 SmartPilot autopilot with S2G corepack
 - 4kw HD digital open array radar

INTERIOR GROUP

- ▷ Cabin Sole
 - ▷ Teak and holly veneer.....Std
 - ▷ Solid teak.....980
 - ▷ Solid teak and holly.....1,440
- ▷ Salon Air Conditioning, 10,000 BTU's.....4,440
- ▷ Sharp® Aquos® 19" Flat Screen TV in Salon.....1,540

- ▷ Salon 12V DVD Player.....420
- ▷ TV Antenna.....810
- ▷ Clarion® 6 Disc CD Changer (for std Clarion® stereo).....740

TOURNAMENT SERIES OPTIONS



- ▷ Overhead Rod Storage (6 rods) in Salon.....1,140
- ▷ Rod Holders, (4) in Gunnels.....580
- ▷ Macerator for Standard Flush Floor Boxes.....680
- ▷ Rod Holders on Hardtop Support Legs (2 port/2 starboard).....920*
- ▷ Rocket Launcher with (7) Rod Holders.....2,460*
- ▷ Rupp® 23 ft. Outriggers.....7,080*

* These options only available with tournament-style arch

WEATHER GROUP

- ▷ Hardtop with Side Enclosures
 - ▷ Cruising-style arch
 - ▷ Tournament-style arch
- ▷ Stamoid® Canvas Color:
 - ▷ White ▷ Sand
 - ▷ Navy ▷ Black
- ▷ Aft Curtain.....1,720
- ▷ 3 Piece Drop Curtain.....1,720
- ▷ Bomar® Low Profile Extruded Aluminum Hardtop Hatch with Ocean Air® Skyscreen.....780

MISCELLANEOUS OPTIONS

- ▷ Cradle.....3,280
- ▷ Spare Props.....4,180
- ▷ Spare Prop Shaft and Coupling.....1,500
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.

