

Tiara
YACHTS

3 6 0 0 O P E N



STANDARDS / OPTIONS

EFFECTIVE JULY 28, 2008

3600 OPEN

STANDARD EQUIPMENT

SPECIFICATIONS

L.O.A. without Standard Pulpit ...
36'5" - 11.0 meters

L.O.A. with Standard Pulpit ...
38'11" - 11.9 meters

L.O.A. with Standard Pulpit and Optional
30" Swim Platform ... 41'5" - 12.62 meters

Beam ... 13'3" - 4.04 meters

Draft (with Props) ... 3'5" - 1.04 meters

Approximate Dry Weight ...
19,100 lbs. - 8,663.6 kg

Height from Waterline to Top of
Windshield...8'9" - 2.67 meters

Height from Waterline to Top of
Optional Hardtop...9'10" - 2.99 meters

Standard Fuel Capacity ...
400 U.S. gallons - 1,514.16 liters

Water Capacity ...
70 U.S. gallons - 264.98 liters

Holding Tank Capacity ...
28 U.S. gallons - 105.99 liters


Sleeping Accommodations ... 5

Cockpit Size ...
Upper: 56 sq. ft. - 5.2 sq. meters
Lower: 72 sq. ft. - 6.7 sq. meters

Deadrise at Transom ... 18°

HULL, DECK AND UPPER COCKPIT

- Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2009 warranty statement for specific details and coverage areas.
- Fresh white gelcoat hull and deck
- Black gelcoat bootline with gold accent
- Hull constructed with a gelcoat outer layer, balsa cored hullsides, and hand-laid fiberglass using a special blended, premium resin
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using a premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside engine room ventilation



- Bennett Marine® 12V hydraulic recessed trim tabs
- Six (6) S.S. oval custom opening port lights with screens
- Three (3) Bomar® extruded aluminum forward deck hatches w/ adjusters and built-in Ocean Air® screens and privacy covers
- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded, 316L S.S. 1" bow rail with pulpit, staff, and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 8" S.S. foredeck cleat, 40' chain rode, 200' rope rode, and Delta® 22 lb. galvanized anchor
- Black rubrail with 316L S.S. cap
- Six (6) S.S. cleats for lines - four (4) 12" cleats and two (2) 10" cleats
- Tiara custom composite windshield frame with tempered safety glass, safety handrails, opening center section and Imtra® windshield wiper system (three (3) washers/wipers)
- Tiara hinged helm console with full flush mount electronics capability, two (2) drink holders, 12v outlet, and 20" S.S. destroyer steering wheel
- Helm seat forward with center wet bar, storage below, and aft facing seat. Helm seat is electrically actuated fore and aft.
- Centerline entry to salon with acrylic sliding companionway door, lock, screen door, and privacy cover
- Portside navigation center including chart storage with white acrylic lid and drink holders
- Port curved companion lounge with jump seat, cooler and storage below, and aft facing seat
- Upper cockpit cool air helm blower
- TV jack/outlet
- 120V GFI outlet
- Drop-down engine room access hatch from the upper cockpit
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and four (4) cockpit speakers. Includes Clarion® iPod® interface.
- Weather covers for helm console and all cockpit furniture

LOWER COCKPIT

- Molded-in steps to deck walkways, port and starboard
- Fiberglass covering boards
- Cockpit coaming bolsters
- Two (2) corner chrome bronze hawse pipes
- Two (2) 6" S.S. cockpit fender cleats
- Imtra® cockpit LED courtesy lighting
- 120V GFI outlet
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with S.S. fittings and 25 ft. coiled blue hose
- Raw water washdown outlet with S.S. fittings and 25 ft. coiled yellow hose
- Self-draining cockpit with scupper drains
- Two (2) flush floor storage boxes
- Aluminum backing plate, 24" x 24", laminated in cockpit floor, port side of fuel access hatch
- Molded-in transom door and gate
- Transom fold-down lounge

INTERIOR GROUP

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- Cable TV/phone outlet
- 120V outlets throughout
- 12V lighting

SALON

- Fiberglass companionway steps with teak hardwood tread and storage compartments below
- S.S. companionway handrail
- Bose® 3-2-1 media system with DVD/CD player and game port
- U-shaped lounge/dinette seating to starboard with storage below and high-gloss teak/birdseye maple table; seats 4-5. Converts to single upper/lower berth and/or double lower berth with a backrest cushion serving as a filler cushion.

- Overhead storage cabinets, port and starboard
- Sharp® Aquos® 19" flat screen LCD TV with game port
- Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat

GALLEY

- Corian® countertop
- Stainless steel undermount sink with Corian® cover and hot/cold faucet
- Upper storage cabinets
- Under counter storage
- Recessed two-burner electric cooktop with Corian® cover and safety shut-off switch
- Microwave oven
- 4.6 cu. ft. DC refrigerator with freezer
- Exhaust fan

MASTER STATEROOM

- Full frame teak door separating the master stateroom from the salon
- Manually actuated double pedestal berth with deep quilted innerspring mattress, quilt, two (2) pillow shams, and six (6) throw pillows
- Storage compartments under berth

- Port locker with two storage compartments
- Cedar-backed starboard hanging locker
- Hullside shelves and upper hullside storage cabinets, port and starboard
- Two (2) reading lights, independently switched
- Sharp® Aquos® 19" flat screen LCD TV
- 12V DVD player


HEAD

- Full frame wood doors
- Full fiberglass head with shower sump pump and shower curtain
- Corian® countertop with integrated sink
- Mirrored vanity above sink
- Storage compartment below sink
- Vacuflush® toilet
- Exhaust fan
- Ventilation blower (drawing from salon)

INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system with master distribution panel
- Two (2) 120V 30 amp 65' dockside power cords with 30 amp to 15 amp adapter
- Cable TV/phone inlet and cabin outlets with 65' dockside power cord
- TV and AM/FM radio antennas
- Victron® battery charger (1), 50 amp
- 12V two bank battery system with batteries and battery switches (two (2) engine batteries and three (3) house batteries)
- Battery parallel system
- Reverse polarity indicator
- Electrical bonding system
- Zincs - transom, trim tabs and shafts
- Teleflex® twin mechanical engine controls
- Teleflex® hydraulic steering system
- Engine instrumentation: Dual VDO® tachometers w/ hour meters, voltage gauges, fuel gauge, temperature gauges, engine oil pressure gauges, and rudder angle indicator. Cummins® engine options include the Smartcraft™ VesselView™ engine monitoring system/display and fuel, voltage, and rudder angle indicator gauges only.
- Two (2) Nibrall® propellers
- Water cooled shaft logs with PSS® dripless shaft seal

- Aquamet® S.S. prop shafts, 1 1/2" (Crusader®), 1 3/4" (Cummins® 380), 2" (Cummins® 425)
- Bronze axe head rudders and struts
- Ritchie® SuperSport SS-2000 compass
- High output alternators: 100 amps each for Crusader® engines, 160 amps each for Cummins® engines
- Engine room acoustical insulation
- Electric engine hatch actuator
- 12V engine room lights
- Two (2) Racor® fuel filters/water separators (diesel engines only)
- Two (2) raw water intake strainers
- Vibration mounts for engines
- Plate mounted, thru-bolted engine system
- Two (2) bilge blowers
- Three (3) automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: One (1) forward, one (1) mid, one (1) aft
- One (1) composite fuel tank, 400 gallons, with electric gauge and fuel shut-off valve on top of tank
- Dockside water inlet
- One (1) fresh water tank, 70 gallons
- Fresh water pressure system with Shurflo® variable speed pump, five (5) GPM
- One (1) holding tank, 28 gallons
- Fresh water tank/holding tank monitor
- One (1) water heater with exchanger, six (6) gallons
- Air horn
- FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Two (2) carbon monoxide detectors
- Two (2) smoke detectors
- Six (6) 5/8" x 30' black dock lines
- Four (4) Tiara life vests (domestic boats only)
- USCG safety and medical kit
- USCG/international navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)



3600 OPEN OPTIONAL EQUIPMENT

ENGINE GROUP

- ▷ Twin Gas Crusader® 8.1L MPI, 385 H.P.
(with electronic synch/cruise)
- ▷ Twin Cummins® QSB5.9 Diesels, 380 H.P.
(with Smartcraft™ VesselView™)
- ▷ Twin Cummins® QSB5.9 Diesels, 425 H.P.
(with Smartcraft™ VesselView™)

INTERIOR COLOR SELECTIONS

Elite Fabric - Standard

- ▷ Newport ▷ Tradewinds
- ▷ Twilight

Premium Fabric - Optional

- ▷ Premium Interior Fabric Selection.....1,500
- ▷ Oyster Cove ▷ Sea Mist
- ▷ Steel Lagoon

Corian®

- ▷ Burled Beach
- ▷ Lava Rock

Ultraleather™

- ▷ Cream ▷ French Vanilla
- ▷ Lasso

EXTERIOR COLOR SELECTIONS

- ▷ Helm Console, Dash & Interior of the
Windshield Frame Color.....N/C
- ▷ Charcoal gray
- ▷ Flag blue
- ▷ Black
- ▷ Beige
- ▷ Custom Color Bootline with Gold Accent
(Please specify color below - black with
gold accent is standard).....1,740
- ▷ Hull Color (Please specify color below -
Fresh White is standard).....8,060
- ▷ Anti-Fouling Bottom Paint - Awlgrip®
Awlstar.....2,960
- ▷ Black
- ▷ Navy blue
- ▷ Cockpit Carpet
- ▷ Upper cockpit only.....515
- ▷ Upper & lower cockpit.....980
- ▷ Charcoal
- ▷ Navy
- ▷ Black
- ▷ Sand

HULL, DECK, & COCKPIT GROUP

- ▷ 30" Swim Platform with Built-In
Ladder.....3,580
- ▷ Bow Thruster.....5,660
- ▷ Helm Seat Locker Options
- ▷ Storage.....Std
- ▷ Refrigerator.....1,640
- ▷ Ice maker.....2,380
- ▷ Companion Seat Options (all options include
curved companion seat with cooler)
- ▷ Forward jump seat.....Std
- ▷ Forward swivel seat.....2,880

- ▷ Upper Cockpit Table
- ▷ With forward jump seat.....880
- ▷ With forward swivel seat.....680
- ▷ Transom Options
- ▷ Fold-down lounge.....Std
- ▷ Baitwell, 36 gallons.....1,620
- ▷ Imtra® Underwater Lights (2),
Xenon 12V/50W3,580
- ▷ Clarion® 6 Disc Changer (for standard
Clarion® cockpit stereo).....740

MECHANICAL GROUP

- ▷ Xantrex® ProSine 1800 Inverter,
DC/AC.....4,520
- ▷ ACR® Remote Spotlight RCL 100.....2,340
- ▷ Bow
- ▷ Hardtop
- ▷ All Chain Windlass (in lieu of std
rope windlass).....2,340
- ▷ Generator
- ▷ Gas, Westerbeke®.....15,200
- 5.0BCG, 120V/60Hz
- 4.2BCG, 220V/50Hz
- ▷ Diesel, Westerbeke®.....15,680
- 5.0kw, 120V/60Hz
- 4.0kw, 220V/50Hz
- ▷ Oil Changing System.....1,640
- ▷ Glendinning® Electronic Controls
(Cummins® only).....10,840
- ▷ Trolling Valves
- ▷ With Glendinning® controls.....14,685
- ▷ With std mechanical controls.....11,400
- ▷ Anchor Locker Washdown with S.S. Fittings
- ▷ Fresh water.....480
- ▷ Raw water.....480
- ▷ Macerator System for Head.....1,420
- ▷ Raymarine® Electronics Package
- ▷ Option 1.....30,380
- ▷ Option 2.....27,800
- Option 1: (2) E80 8.4" multi-function color
displays
- Option 2: (1) E120 12.1" multi-function
color display
- Raystar 125 GPS sensor
- Ray 240 VHF radio
- DSM300 digital sounder module
- 1kw B260 transducer
- ST70 graphic display
- ST6002 SmartPilot autopilot with S2G
corepack
- 4kw HD digital open array radar

INTERIOR GROUP

- ▷ Cabin Sole
- ▷ Solid teak.....Std
- ▷ Solid teak and holly.....1,320

TOURNAMENT SERIES OPTIONS



- ▷ Rod Storage for (4) Rods Under
Pedestal Berth.....260
- ▷ Bait Prep Center (in lieu of aft facing
seat on curved companion lounge).....4,740
- ▷ Rod Holders in Gunnel, Lee® (4).....580
- ▷ Port Gunnel Storage
- ▷ Rod racks and rings only.....180
- ▷ Rod storage locker.....960
- ▷ Starboard Gunnel Storage
- ▷ Rod racks and rings only.....180
- ▷ Rod storage locker.....960
- ▷ Macerator for Standard Cockpit Flush
Floor Boxes.....680
- ▷ Rod Holders (4) in Deck Wings, Cruise
Hardtop/No Hardtop.....920
- ▷ Rupp® Rocket Rod Holders (4), Outboard
(2 port/2 starboard).....660*
- ▷ Rupp® 26 ft. Outriggers.....7,080*
- ▷ Bow Rail
- ▷ Stainless steel (1").....Std
- ▷ Brushed aluminum (1 1/4").....2,000

* These options only available with tournament hardtop

WEATHER GROUP

- ▷ Hardtop with Front and Side Enclosures
- ▷ Cruise hardtop.....19,980
- (2) Bomar® low profile extruded aluminum
hatches w/ built-in Ocean Air® privacy
covers/screens
- ▷ Tournament hardtop.....24,200
- (2) Bomar® extruded aluminum hatches
- Rod holders
- Spreader lights
- ▷ Stamoid® Canvas Color:
- ▷ White ▷ Sand
- ▷ Navy ▷ Black
- ▷ Aft Curtain.....1,880
- ▷ 3 Piece Drop Curtain.....1,880

MISCELLANEOUS OPTIONS

- ▷ Cradle.....3,480
- ▷ Spare Props (pair)
- ▷ Gas.....8,060
- ▷ Diesel.....9,040
- ▷ Spare Prop Shaft and Coupling
- ▷ Gas.....1,700
- ▷ Diesel.....3,580

- ▷ DO NOT WINTERIZE (available as
temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.



725 EAST 40TH STREET HOLLAND, MI 49423-5392 USA
(616) 392-7163 • Fax (616) 394-7466 • www.tiaryachts.com