

**Tiara**<sup>®</sup>  
YACHTS

**3900 CONVERTIBLE**



**STANDARDS / OPTIONS**  
**2010 MODEL YEAR**

EFFECTIVE JANUARY 4, 2010

PRINTED IN USA

# 3900 CONVERTIBLE STANDARD EQUIPMENT



## SPECIFICATIONS

L.O.A. without Standard Pulpit ...  
39'0" - 11.9 meters

L.O.A. with Standard Pulpit ...  
41'7" - 12.7 meters

L.O.A. with Standard Pulpit and Optional  
30" Swim Platform ... 44'1" - 13.43 meters

Beam ... 14'5" - 4.44 meters

Draft (with Props) ... 3'6" - 1.06 meters

Approximate Dry Weight ...  
30,125 lbs. - 13,664 kg

Height from Waterline to Top of  
Standard Hardtop... 16'6" - 5.03 meters

Standard Fuel Capacity ...  
475 U.S. gallons - 1,798.07 liters

Water Capacity ...  
110 U.S. gallons - 416.36 liters

Holding Tank Capacity ...  
38 U.S. gallons - 143.85 liters

Sleeping Accommodations ... 6

Cockpit Size ... 80 sq. ft. - 7.4 sq. meters

Deadrise at Transom ... 14°

## HULL AND DECK

- Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2010 warranty statement for specific details and coverage areas.
- Fresh white gelcoat hull and deck
- Black gelcoat boot line with gold accent
- Hull constructed with a gelcoat outer layer, balsa cored hullsides, and hand-laid fiberglass using a special blended, premium resin
- Deck constructed with a gelcoat outer layer, balsa coring, and hand-laid fiberglass using a premium resin
- Tiara custom diamond pattern non-skid deck and cockpit surfaces
- Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull
- Gelcoated bilge
- Bronze seacocks on all underwater thru-hull fittings
- Molded-in hullside engine room ventilation
- QL Marine® trim tabs with indicator lights at helm
- One (1) Bomar® low profile extruded aluminum forward deck hatch with adjusters and built-in Ocean Air® screen and privacy cover

- Molded-in fiberglass bow pulpit with S.S. roller
- One-piece welded 1 1/4" brushed aluminum bow rail with pulpit, staff and Tiara burgee
- Flush forward anchor rode locker with overboard drain
- Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 10" S.S. foredeck cleat, 40' chain rode, 200' rope rode, and Delta® 35 lb. galvanized anchor.
- White rubrail with 316L S.S. cap
- Six (6) S.S. cleats for lines - four (4) 12" cleats and two (2) 10" cleats

## LOWER COCKPIT

- Starboard entry to salon with door opening aft
- Storage under salon entry step
- Starboard tackle storage drawers with glove box
- Port bait prep center with cutting board, fresh water sprayer, tackle storage, and cooler
- Engine room access door from lower cockpit
- Ladder to flybridge -- choice of fish style or cruise style (see options)
- Molded-in steps to deck walkways, port and starboard, with safety handrails above
- Fiberglass covering boards
- Four (4) Lee® rod holders in covering boards - two port and two starboard
- Cockpit coaming bolsters
- Two (2) corner oval chrome bronze hawse pipes
- Two (2) 6" S.S. cockpit fender cleats
- Imtra® cockpit LED courtesy lighting with remote control
- 120V GFI outlet, starboard
- Cockpit shower, hot and cold water
- Fresh water washdown outlet with S.S. fittings and 25 ft. coiled blue hose
- Raw water washdown outlet with S.S. fittings and 25 ft. coiled yellow hose
- Self-draining cockpit with scupper drains
- Two (2) flush floor storage boxes, one (1) small and one (1) large with split lid
- Transom storage keeper
- Molded-in transom door and gate

## FLYBRIDGE

- Tournament hardtop including integrated aft spreader lights, enclosures, five-rod holder rocket launcher aft, wire raceways for electronics, Imtra® red and white LED lighting, and anchor light
- TV antenna
- Helm console with full flush mount electronics capability, gauge panel (in jewel case), 12v outlet, 15" horizontal aluminum steering wheel, and glove box
- 120V GFI outlet
- Two (2) Release Marine® teak helm chairs with footrests
- Forward bench seat with handrail and cooler below
- Clarion® AM/FM/CD stereo with remote, amp, subwoofer, and four (4) speakers (two (2) on flybridge and two (2) in lower cockpit). Remote panel is located next to salon entry door in lower cockpit. Includes Clarion® iPod® interface.
- Weather covers for helm console and helm chairs

## INTERIOR

- Mold and mildew resistant vinyl hull and headliner treatment
- Teak interior - *NOTE: Variations in Teak wood grain are natural, and cannot be controlled in the manufacturing process*
- Teak hardwood floor
- Cable TV/phone outlet
- 120V outlets throughout
- 12V lighting

## SALON

- Starboard lounge/dinette seating with storage below. Includes high-gloss teak/birdseye maple table. Storage for table located in master stateroom hanging locker.
- Port lounge seating, converts to berth.
- Sharp® Aquos® 32" flat screen LCD TV
- Bose® Lifestyle 18 media system, includes DVD/CD player and game port. Wiring run to helm as standard and wired to optional Raymarine® electronics display when ordered. Audio is wired to the cockpit speakers.
- Marine Air Systems® 18,000 BTU air conditioner with reverse cycle heat (supplies salon, galley and guest stateroom)

## GALLEY

- Corian® countertop
- Stainless steel undermount sink with Corian® cover and hot/cold water faucet
- Cellar pantry under galley floor
- Recessed two-burner electric cooktop with Corian® cover and safety shut-off switch
- Storage for stove and sink covers
- Stainless steel microwave/convection oven concealed by teak door
- Novakool® AC/DC (wired DC) refrigerator/freezer, 5.5 cu. ft. refrigerator storage and 2.0 cu. ft. freezer storage

- Exhaust fan

## MASTER STATEROOM

- Full frame door separating master stateroom from galley/salon
- Private entry to head
- Manually actuated double pedestal berth with deep quilted innerspring mattress, quilt, two (2) pillow shams, and eight (8) throw pillows
- Storage compartments under berth
- Cedar backed hanging locker with mirror on the inside of the door, starboard

- Hullside shelves and upper hullside storage cabinets, port and starboard
- Two (2) reading lights, independently switched
- Sharp® Aquos® 19" flat screen LCD TV with storage cabinet below
- 12V DVD player
- Marine Air Systems® 7,000 BTU air conditioning with reverse cycle heat (supplies master state room and head)

## GUEST STATEROOM


- Full frame door with entry from the salon/galley
- Two (2) bunks, upper and lower, with foam mattresses, quilts, and two (2) pillow shams
- Cedar backed hanging locker
- Rod storage under lower berth with capacity for six (6) rods
- Sharp® Aquos® 19" flat screen LCD TV
- 12V DVD player

## HEAD

- Full frame door with dual entry from galley/salon and master stateroom
- Full fiberglass head with shower sump pump and curved acrylic shower door
- Corian® countertop with integrated Corian® sink
- Mirrored vanity with storage above sink
- Lower vanity storage
- Vacuflush® toilet
- Exhaust fan
- Air conditioner discharge

## INSTRUMENTATION, EQUIPMENT AND SAFETY

- Tiara custom 12V and 120V electrical system. Master AC consolidated with salon monitoring panel with main DC panel in engine room
- One (1) 240V 50A 65' shore power cord with Glendinning® cord recoiler and adapter for 30 amp service
- Cable TV and phone inlets/outlets with 65' dockside power cord
- TV and AM/FM radio antennas
- Onan® 11.5kw generator (9.5kw for 220V)
- Victron® battery charger (1), 100 amp
- 12V two bank battery system with batteries and battery switches (three (3) engine batteries and four (4) house batteries)
- Battery parallel system
- Reverse polarity indicator
- Electrical bonding system - hardware bonded to main DC return
- Zincs - transom and shafts
- Bronze axe head rudders and struts
- Aquamet® S.S. prop shafts, 2 1/4"
- Water cooled shaft logs with PSS® dripless shaft seal
- Two (2) Nibral® propellers
- Glendinning® top mount electronic engine controls
- Teleflex® hydraulic steering system with power assist
- Helm instrument panel with Beede® instrumentation in jewel case: fuel level, engine and house battery volt meters, rudder position indicator
- Beede® indicator LED's for aft bilge pump, mid bilge pump, forward bilge pump, and generator
- Ritchie® SuperSport SS-2000 compass
- High output alternators, 160 amps
- EAR Specialty® engine room insulation and noise barrier
- Seven (7) 12V engine room lights
- Two (2) Racor® fuel filters/water separators
- Two (2) raw water intake strainers
- Vibration mounts for engines
- Plate mounted, thru-bolted engine system
- Five-port oil changing system for main engines, transmissions, and generator
- ProMariner® galvanic isolator
- Three (3) bilge blowers, 250 CFM each
- Three (3) automatic/manual bilge pumps with monitors at helm, 2000 GPH each: One (1) forward, one (1) mid, and one (1) aft
- One (1) composite fuel tank, 475 gallons, with electric gauge and fuel shut-off valve on top of tank
- Dockside water inlet
- Two (2) fresh water tanks, 55 gallons each
- Fresh water pressure system with Shurflo® variable speed pump, five (5) GPM
- One (1) holding tank, 38 gallons, with vent filter
- Fresh water tank/holding tank monitor
- One (1) water heater with exchanger, 11 gallons
- Kahlenberg® chrome dual trumpet air horn
- FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227 agent for CE)
- Three (3) handheld fire extinguishers
- Three (3) carbon monoxide detectors
- Three (3) smoke detectors
- Six (6) 5/8" x 30' black dock lines
- Four (4) Tiara life vests (domestic boats only)
- USCG safety and medical kit
- USCG/international LED navigation lighting
- NMMA certified using ABYC standards
- International certification options available (European CE and others)



# 3900 CONVERTIBLE OPTIONAL EQUIPMENT

## DIESEL ENGINE GROUP

- ▷ Twin Cummins® QSC, 550 H.P. (includes SeaCruise® w/ Smartcraft™ electronic displays & engine synch.).....745,180
- ▷ Twin Cummins® QSC, 600 H.P. (includes SeaCruise® w/ Smartcraft™ electronic displays & engine synch.).....782,550
- ▷ Twin CAT® C9, 575 H.P. (includes CAT® MPD electronic displays & engine synch.).....772,100

## MECHANICAL OPTIONS

- ▷ Glendinning® Side Mount Controls - Flybridge Console.....4,460
- ▷ Glendinning® Remote Tethered Cockpit Controls.....5,410
- ▷ Trolling Valves.....7,910
- ▷ Xantrex® ProSine 2.0 Inverter, DC/AC.....4,250
- ▷ Cool Air System for Flybridge, 16,000 BTU's.....5,940
- ▷ All Chain Windlass (in lieu of std rope windlass).....2,960
- ▷ Bow Thruster.....8,240
- ▷ Macerator for Waste System.....1,420
- ▷ Anchor Locker Washdown with S.S. Fittings (may order both)
  - ▷ Fresh water.....480
  - ▷ Raw water.....480

## HULL, DECK, & COCKPIT GROUP

- ▷ 30" Swim Platform with Built-In Ladder.....4,290
- ▷ Imtra® Underwater Lights (2), Xenon 12V/50W.....4,020
- ▷ Fixed Center Salon Window with Interior Ocean Air® Blinds.....2,610
- ▷ Cockpit Carpet
  - ▷ Lower cockpit only.....720
    - ▷ Sand      ▷ Black
    - ▷ Navy      ▷ Charcoal
- ▷ Transom Options
  - ▷ Storage.....Std
  - ▷ Fold-down lounge.....3,910
  - ▷ Baitwell, 48 gallons.....3,980

- ▷ Port Gunnel Storage
  - ▷ Rod racks and clips.....200
  - ▷ Fixed keeper.....250
  - ▷ Rod storage locker.....1,080
- ▷ Starboard Gunnel Storage
  - ▷ Rod racks and clips.....200
  - ▷ Fixed keeper.....250
  - ▷ Rod storage locker (includes hangers for power cords).....1,080
- ▷ Ladder to Flybridge
  - ▷ Fish style.....Std
  - ▷ Cruising style.....380
- ▷ Flybridge Access Hatch.....1,390
- ▷ Flybridge Captain's Chairs
  - ▷ Release Marine teak chairs.....Std
  - ▷ Delete chairs (dealer/customer will supply chairs).....8,400 cr.

- ▷ Refrigerator Plates for Flybridge Cooler.....1,660

## WEATHER GROUP

- ▷ Tournament-Style Hardtop.....Std
- ▷ Hardtop Enclosures (White Stamoid®)
  - ▷ Tiara enclosures.....Std (includes front/side/aft enclosures)
  - ▷ Rainier® enclosures.....16,030 (front/side enclosures are Rainier®-style, aft enclosure is same as std. Tiara aft enclosure)
- ▷ Bomar® Extruded Aluminum Hardtop Hatches (2).....1,060

## FISHING FEATURES/OPTIONS

- ▷ Freezer for Standard Bait Prep Center (in lieu of cooler).....5,590
- ▷ Macerator for Standard Cockpit Flush Floor Boxes.....840
- ▷ Rod Holders (4) in Deck Wings....1,030
- ▷ Rupp® 30 ft. Double Spreader Outriggers.....11,180
- ▷ Rod Storage for (4) Rods Under Pedestal Berth.....290
- ▷ Overhead Rod Storage in Salon.....990

## ELECTRONICS

- ▷ Raymarine® Electronics Pkg.....41,160
  - (2) E120W multi-function color displays
  - Raystar 125 GPS sensor
  - Ray 240 VHF radio
  - DSM300 digital sounder module
  - 1kw B260 transducer
  - ST70 graphic display
  - ST70 auto pilot control head with SmartPilot X-10 corepack
  - 4kw HD digital open array
- ▷ ACR® RCL100 Remote Spotlight (mounted on hardtop).....2,630

## INTERIOR OPTIONS

- ▷ Cabin Sole
  - ▷ Solid teak.....Std
  - ▷ Solid teak and holly.....1,530
- ▷ SubZero® Refrigerator/Freezer Drawer Units in Galley.....5,480

## COLOR SELECTIONS

- ▷ Hull Color (*Please specify color below - Fresh White is standard*).....11,160
  - ▷ \_\_\_\_\_
- ▷ Custom Color Bootline w/ Gold Accent (*Please specify color below - black with gold accent is std*).....1,950
  - ▷ \_\_\_\_\_
- ▷ Anti-Fouling Bottom Paint - Awlgrip® Awlstar.....3,460
  - ▷ Black
  - ▷ Navy blue

## Interior Fabric

- ▷ Breakwater
- ▷ Driftwood
- ▷ Graphite
- ▷ Pistachio

## Interior Ultraleather™

- ▷ Cream
- ▷ French Vanilla
- ▷ Waylan

## Interior Corian®

- ▷ Granola
- ▷ Lava Rock

## MISCELLANEOUS OPTIONS

- ▷ Cradle.....3,880
- ▷ Spare Props (pair).....10,880
- ▷ Spare Prop Shaft & Coupling.....7,570
- ▷ **DO NOT WINTERIZE** (available as temperatures allow)

NOTE: Specifications are based on available information at time of printing. Actual specifications may vary. Tiara Yachts reserves the right to change product line specifications, equipment, color schemes, and pricing, or to discontinue models at any time without notice or obligation.

**TIARA**  
YACHTS

725 EAST 40TH STREET HOLLAND, MI 49423-5392 USA  
(616) 392-7163 • Fax (616) 394-7466 • www.tiaryachts.com