



PREDATOR / 57

**Sunseeker**[®]

PRINCIPAL CHARACTERISTICS

Classification

CE

Length overall

18.24m, 59'10"

Beam

4.70m, 15'5"

Draft

1.30m, 4'3"

Displacement

27,900kg, 61,509lb

Fuel capacity

2,200 litres, 581 US gal.

Fresh water capacity

600 litres, 158 US gal.

Accommodation

Up to 6 guests & up to 1 crew member

Engine options

Up to 1,800PS

Performance

Up to 32 knots

Range

Up to 250 nautical miles

Drives

Shafts or Pods

STANDARD SPECIFICATIONS

1 Construction

Hand-laid GRP

Gel coat including stripes

Vinylester skin coat with powderbound mat

Stitched multi-axial reinforced single-skin bottom

Balsa-cored hull topsides

PVC foam-cored deck and superstructure

Hull stiffened with longitudinal stringers supported

by transverse bulkheads and floors

2 Deck

Fittings all in stainless steel

8 x deck cleats in stainless steel

Delta anchor and 60 metre chain (galvanised)

Electric winch and capstan 24v with deck and helm

controls 24v

Stemhead roller and anchor stop

Self-draining chain locker-fender stowage

Pulpit and cockpit rails in stainless steel

Stainless steel fendering with rubber insert

IMCO navigation lights

2 x pantograph wipers 24v, windscreen washers

Ensign staff and socket

6 x fenders and 4 warps

Remote spotlight 24v

Curved safety glass windscreen

3 Bathing Platform

Hydraulic fall and rise system

Fresh water marina connection

Dockside AC shore power connection

Hot and cold swimming shower

Teak-laid bathing platform

Foldaway stainless steel swimming ladder

4 Aft Cockpit

Self-draining

Large sunbed

Garage to house owners tender

Wetbar with refrigerator

Sink with hot and cold water

Upholstered seating with stowage underneath

Teak cockpit table on stainless steel leg

Stern safety gate

Engine room access hatch

Overhead lighting 24v

Low-level lighting 24v

Teak-laid cockpit and steps

Cockpit speakers

Boat hook

Hand-held fire extinguisher

5 Deck Saloon

Seating group with storage below

Dining table

Radio/CD with Bluetooth

Overhead lighting 24v

Double AC socket x 2

Stainless steel sliding cockpit door to aft cockpit

Teak-laid cockpit

Forward-facing co-pilot bench seat

Scatter cushions

6 Main Helm Console

Upholstered helm seats

Console with piano black type fascia

Hydraulic steering

Sports steering wheel

Radar/Plotter

Autopilot

VHF radio

Analogue engine instrumentation

Electric speedlog

Depth sounder

Rudder indicator

Compass

Horn

Windscreen wipers and washers

Trim tab controls

12v socket

Glass holders

Hand-held fire extinguisher

Double AC socket

7 Galley

Sink and drainer

Hot and cold water supply

Electric refrigerator/freezer

Ceramic 4-ring touch control hob

Hob extractor fan

Microwave oven

Rubbish bin

6 place crockery set

6 place cutlery set

Cupboard and drawer storage

Double AC socket x 2

Overhead lighting 24v

Opening porthole with mosquito screen

Hand-held fire extinguisher

First aid kit

8 Lower Saloon

Seating group with storage below

Dining table

22" television

Radio/CD/DVD with Bluetooth and speakers

Overhead lighting 24v

Double AC socket

Fitted carpet

Scatter cushions

9 Master Aft Cabin

Double berth with storage and drawer beneath

Outboard cabinets

Bedside cupboards

Bedside wall lamps

Settee

Hanging wardrobe with mirrored door

Overhead lighting 24v

Panoramic windows with opening portholes

Double AC socket x 2

32" television

Fitted carpet

10 Master En Suite Shower Room and Toilet

Electric toilet

Avonite counter top

Shower taps and accessories

Washbasin

Hot and cold water

Separate shower compartment

Extractor fan

Razor socket 240/110v

Mirrored cupboard

Towel rail

Bath and hand towels

Overhead lighting 24v

Opening porthole with Venetian blind

Door to stateroom

11 Starboard Guest Cabin

Two single Pullman style berths

Reading lights 24v

Under-berth stowage

Hanging wardrobe with mirrored door

Overhead lighting 24v

Opening porthole with mosquito screen and curtain

Double AC socket

22" television

Fitted carpet

12 Forward VIP Guest Cabin

Double berth with storage and drawers beneath

Two reading lights 24v

Outboard Lockers

Hanging wardrobe with mirrored door

Overhead lighting 24v

Opening portholes and curtains

Deck hatch

Double AC socket

22" television

Fitted carpet

STANDARD SPECIFICATIONS... CONTINUED

13 Forward VIP Shower and Toilet/Day Head

Electric toilet
Avonite counter top
Shower taps and accessories
Washbasin
Hot and cold water
Separate shower compartment
Extractor fan
Razor socket 240/110v
Mirrored cupboard
Towel rail
Bath and hand towels
Overhead lighting 24v
Opening porthole with Venetian blind

14 Crew Cabin

Single berth
Reading light 24v
Stowage locker
Sink with hot and cold water
Toilet 24v
Overhead lighting 24v
Opening porthole with mosquito screen and curtain
Double AC socket
Fitted carpet

15 Engine Compartment and Ancillaries

Soundproofing throughout
Aluminium fuel tanks with electric sender units
Fuel filters/water separators to engines
Fuel filters/water separators to generators
Automatic bilge and flood pumps with high-level alarms
Generator exhaust silencers and water separators
Engine exhaust dry risers and water injection
Strainers to all raw water inlets
Power steering – hydraulic control steering
Garage door, lifting platform and trim tabs hydraulic control unit
Air intakes fitted with emergency shutdown flaps (automatically operated)
Air distribution fans (DC)
Air extraction fans (DC) fitted with butterfly shutdown dampers
Exhaust gas temperature sensor
Engine room fire extinguishing system (FM200)

16 Electrical System

Generator with underwater silent exhaust
AC dockside connection
Main DC and AC electrical circuits protected by re-settable circuit breakers
Systems monitoring panel
Galvanic isolator
4 x batteries for engine starting 24v circuit
4 x batteries for domestic power 24v circuit
Battery coupling system
Battery switches controlled from locker in cockpit
Alternator split-charging system

Battery charger for 24v circuits
Battery charger for 12v circuits
Water heater
Electrical AC sockets throughout the boat
Electric bow thruster

17 Underwater Gear

Bow thruster – electric 24v
Seawater strainers – nickel-plated bronze
Full cathodic bonding system to zinc anodes
Hydraulic trim tabs – stainless steel
Propeller shafts – Temet 25
High performance rudders – AB2
P-brackets – NAB nickel aluminium bronze c/w water lubricated bearing
Self-aligning shaft seal including spare seal
5-blade AB2 bronze propellers

18 Systems

Hydraulic power steering
Electric toilet system with integral macerator (24v)
Toilets discharging overboard or to black water tank
Black water tank discharging to dockside or overboard
Polyethylene fresh water tank with electric sending unit
Aluminium fuel tank with electric sending unit
Water pressure system (24v)
Hot water tank with immersion heater (AC)
Washbasins and showers drain to sump box
Sump box automatically discharging overboard
Bilge pumping system (24v)
Manual/automatic fire extinguishing system combined with engines, generators and fans shutdown
Auxiliary hydraulics for garage door and trim tabs (24v)

19 Miscellaneous

Toolkit
Boat hook
4 x mooring ropes
6 x fenders
2 x towel sets

Optional Extras

Air conditioning
Hydraulic gangway
Stern thruster

Disclaimer

**Every attempt has been made to give accurate information, but performance and range figures are estimates given as a guide only. Dirt or growth on the hull, tuning of the engines, size, make of engines fitted, damage to propellers, the temperature of the air and water, the weight of fuel, water, stores, number of people, propeller pitch, quality of fuel and other matters, can all affect a boat's performance and range. For these and other reasons we can give no performance, range or other guarantees, and neither such guarantees nor anything contained herein constitutes an offer of contract or any representation or agreement, or may otherwise be relied upon. The photographs and artist's impressions in this brochure are of existing models in the Sunseeker range. There may be items shown in these photographs and artist's impressions that are not included in the standard inventory of the models shown. Specifications contained on the website are samples only and should not be relied upon and may refer to models only intended for sale in a particular territory and not generally. No guarantee is given that any model will be available in any territory; however, by contacting us we can advise you of models that are likely to be available in each territory. Actual specifications will be provided when a sales order or enquiry is placed with us or our approved Sunseeker dealer. Specifications for models sold in different markets may vary and specifications and models may be changed or withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the sale contract between the purchaser and the Sunseeker dealer. Dealers and distributors are independently owned and operated entities, and therefore Sunseeker dealers and distributors are not owned by Sunseeker International Limited or any subsidiaries or other related entity of this company nor are they their agents. Therefore they have absolutely no authority to commit Sunseeker International Limited, or any subsidiary or other related entities of Sunseeker International Limited to any pledge, contract or agreement in any form or by any means unless first accepted in writing by Sunseeker International Limited. In some examples herein Sunseeker have referred to measurements, specifications or other details applicable to a particular territory and no guarantee is given that these are applicable to your territory. For ease of reference we have, in some cases, referred to "we" or "Sunseeker" and these terms should be taken to mean Sunseeker International Limited.*

